MISCELLANEOUS PROBLEM INDEX Problems by Proposer, Number, Topic & Location, & by Solution Location

Note: Many problems in this section are exercises or conjectures, sometimes proven in other research papers. Solutions and location of solutions, unless specifically given as solutions in TFQ, are not provided. Also not included are problems and projects which authors indicate that they will pursue themselves. Problems from multiple authors are listed initially by the first author listed in the article. Problem numbers (mostly) are those of the proposers.

Proposed by aBa Mbirika & Jürgen Spilker

To: Four questions concerning the CGD of sums of squares of Gibonacci numbers PXX(267) Proposed by A. Adelberg

To: Conjectures concerning Bernoulli polynomials PVII(7) Proposed by I. Adler

- 1. To: Linear Diophantine equations 6.6(1968)364
- 2. To: Linear Diophantine equations 6.6(1968)364
- 3. To: Linear Diophantine equations 6.6(1968)369
- 4. To: Linear Diophantine equations 6.6(1968)369
- 5. To: Linear Diophantine equations 7.2(1969)183
- 6. To: Linear Diophantine equations 7.2(1969)183
- 7. To: Linear Diophantine equations 7.2(1969)184
- 8. To: Simultaneous Diophantine equations 7.2(1969)186
- 9. To: Simultaneous Diophantine equations 7.2(1969)186
- 10. To: Simultaneous Diophantine equations 7.2(1969)187
- 11. To: Simultaneous Diophantine equations 7.2(1969)187
- 12. To: Simultaneous Diophantine equations 7.2(1969)188
- Proposed by A.K. Agarwal
 - To: Certain polynomials as generating functions 27.2(1989)174
- 1. To: Coefficients in a polynomial expansion and partitions of an integer 27.2(1989)174
- 2. To: Number of partitions of an integer mod (20) 27.2(1989)174
- 3. To: Coefficients in a polynomial expansion and partitions of an integer 27.2(1989)174
- i. To: Combinatorial meaning of a class of numbers related to combinatorial multiples of the Lucas numbers 28.3(1990)199
- ii. To: Associating the class of numbers related to combinatorial multiples of the Lucas numbers to other mathematical objects 28.3(1990)199
- Proposed by A.V. Aho & N.J.A. Sloane

To: Nonlinear recurrence relation 11.4(1973)436

Proposed by W. Aiello, G.E. Hardy, & M.V. Subbarao

- 3.21 To: Monotonic functions related to e-multiperfect numbers 25.1(1987)71
- 3.22 To: The existence of e-multiperfect numbers 25.1(1987)71
- Proposed by C.O. Alford & D.C. Fielder
 - To: Hoggatt position sequence in a Hoggatt triangle, PIII(1990)87
 - To: Suggested research into successor identities and Diophantine generalizations PVII(103)
- Proposed by R.C. Alperin
 - To: Proving alternatin partial sums of chebyshev polynomials analogues for various recurrence relations 58.2(2020)141

Proposed by P.G. Anderson

- To: Building binary trees, PIV(1991)7
- To: Binary trees and continued fractions, PIV(1991)7
- To: Random number generators and the unit square, PIV(1991)7
- Proposed by S. Ando & K. Nagasaka
 - To: Integers m for which the sequence of Fibonacci numbers is weakly uniformly distributed mod m, PII(1988)27
- Proposed by P.Andaloro

To: Identifying numbers with equal stopping times 38.1 (2000)78

Proposed by K.T. Atanassov

To: Generalization and properties of certain Fibonacci-type sequences 24.4(1986)365 Proposed by K. Atanassov, J. Hlebarska & S. Mihov

- To: Explicit formula for generating generalized Fibonacci sequences 30.1(1992)79
- Proposed by Br. U. Alfred (A. Brousseau)
- 1. To: Sum of even subscripted Fibonacci numbers 1.1(1963)62
- 2. To: Summing every fourth Fibonacci number 1.1(1963)62
- 3. To: Summing every third Fibonacci number 1.1(1963)63
- 1. To: Unified Fibonacci-Lucas products 4.3(1966)263
- 2. To: Examples of non-unified Fibonacci-Lucas products 4.3(1966)263
- 3. To: Formulas for Fibonacci sequences 4.3(1966)263
- 1.1 To: Recursion relation of a given sequence 6.4(1968)285
- 1.2 To: Recursion relation of a given sequence 6.4(1968)285
- 1.3 To: Recursion relation of a given sequence 6.4(1968)285
- 1.4 To: nth term of a ratio recursion relation 6.4(1968)285
- 1.5 To: Recursion relation from the nth term 6.4(1968)285
- 1.6 To: Recursion relation from a cubic polynomial 6.4(1968)285
- 1.7 To: Recursion relation from an exponential 6.4(1968)285
- 1.8 To: Non-homogeneous recursion relation 6.4(1968)285
- 1.9 To: Product recursion relation 6.4(1968)285
- 1.10 To: Recursion relation from the nth term 6.4(1968)285 [The answers to all 10 of these problems are in 6.4(1968)260]
- 2.1 To: Recursion relation for a given sequence 6.6(1968)398
- 2.2 To: Second-order recursion relation 6.6(1968)398
- 2.3 To: Second-order recursion relation 6.6(1968)399
- 2.4 To: Third-order recursion relation 6.6(1968)399
- 2.5 To: Third-order recursion relation 6.6(1968)399[The answers to all 5 of these problems are in 6.6(1968)399
- 3.1 To: Lucas recursion relation 7.1(1969)104
- 3.2 To: Lucas-Fibonacci recursion relation 7.1(1969)104
- 3.3 To: Recursion relation for F_{3n} 7.1(1969)104
- 3.4 To: Recursion relation for F_{5n} 7.1(1969)104
- 3.5 To: Recursion relation for L_{3n} , 7.1(1969)104
- 3.6 To: Recursion relation for L_{5n} 7.1(1969)104
- 3.7 To: Fibonacci recursionrelation 7.1(1969)104
- 3.8 To: F_n as powers of 5, 7.1(1969)104
- 3.9 To: L_n as powers of 5, 7.1(1969)104
- 3.10 To: Sums of two Fibonacci squares 7.1(1969)104 [The answers to all 10 of these problems are in 7.1(106)
- 4.1 To: Divisibility and recursion 7.2(1969)199

Proposed by Br. U. Alfred (A. Brousseau)

- 4.2 To: Divisibility and Lucas numbers 7.2(1969)200
- 4.3 To: Second-order recursion relation 7.2(1969)200
- 4.4 To: Arithmetic progression and recursion 7.2(1969)200
- 4.5 To: Second-order recursion relation 7.2(1969)2004.6 To: Second-order recursion relation 7.2(1969)200
- 4.7 To: Recursion from a given sequence 7.2(1969)200
- 4.8 To: Second-order recursion relation 7.2(1969)200
- 4.9 To: Second-order recursion relation 7.2(1969)200
- 4.10 To: Recursion from a Binet-type relation 7.2(1969)200
- 5.1 To: Recursion relation for a given sequence 7.3(1969)300
 [The answers to problems 1 5 are in 7.2(1969)210 and 6-10 are in 7.2(1969)224]
- 5.2 To: Third-order recursion relation 7.3(1969)300
- 5.3 To: Geometric progression, Fibonacci numbers and a recursion relation 7.3(1969)300
- 5.4 To: Fibonacci in a recursion relation 7.3(1969)300
- 5.5 To: Third-order recursion relation, 7.3(1969)300 [The answers to all 5 of these problems are in 7.3(1969)302]
- 6.1 To: Geometric progression, Fibonacci numbers and a recursion relation 7.5(1969)537
- 6.2 To: Third and fourth-order recursion 7.5(1969)537
- 6.3 To: Arithmetic and geometric progression in recursion relations 7.5(1969)538
- 6.4 To: Third-order recursion relation for squares of Fibonacci numbers 7.5(1969)538
- 6.5 To: Lucas-Fibonacci recursion relation 7.5(1969)538 [The answers to all 5 of these problems are in 7.5(1969)544]
- 7.1 To: Sequence from a polynomial 8.1(1970)101
- 7.2 To: Sequence from a polynomial and a Fibonacci-type sequence 8.1(1970)101
- 7.3 To: Sequence from a polynomial and a geometric progression 8.1(1970 101
- 7.4 To: Sequence from a polynomial and a geometric progression 8.1(1970)101
- 7.5 To: Sequence from a polynomial and a Fibonacci-type sequence 8.1(1970)101 [The answers to all 5 of these problems are in 8.1(1970)112]
- 8.1 To: Largest root of a cubic equation 8.3(1970)316
- 8.2 To: Ratio of successive terms in a sequence having a given third-order recursion relation 8.3(1970)316
- 8.3 To: Ratio of successive terms in a sequence having a given fourth-order recursion relation 8.3(1970)316
- 8.4 To: Fibonacci numbers and ratios of successive terms in a sequence with given recursion relation 8.3 (1970)316
- 8.5 To: Ratio of terms from two sequences 8.3(1970)316
- 8.6 To: Third-order recursion relation 8.3(1970)316[The answers to all 6 of these problems are in 8.3(1970)324] To: Divisibility of Fibonacci sums by L₁₁ 11.3(1973)332

Proposed by G.E. Andrews

To: Proving Schur polynomial identites using operator methods 42.1(2004)18 Proposed by R.B. Backstrom

- To: Proving that a sequence satisfing a certain given recurrence relation with initial value a negative integer is itself recursive 18.3(1980)241
- To: Finding sums of several series of the form $\Sigma G(n)$, where

 $G(n) = (L_{an+b} + c)^{-1}, 19.1(1981)20$

Proposed by C. Ballot

- 1. Find a combinatorial interpretation of the Lucasnomial Catalan numbers 55.4(306)
- 2. Do three theorems for regular Lucas sequences extend to all non-degenerate Lucas sequences? 55.4(306)
- 3. Is the set of all integers such that the middle Fibonomial coefficient is prime to a positive integer infinite? 55.4(306)
- 4. Do infinitely many integers exist for which the middle Lucasnomial coefficient is coprime to 105? 55.4(306)

Proposed by R. A. Bateman, E.A. Clark, M.L. Hancock & C.A. Reiter

- 1. To: Equation involving the period of a p,q sequence relating to a continued fraction 29.3(1991)228
- 2. To: Dependency on initial conditions for the lengths of a periodic sequence 29.3(1991)228
- 3. To: The period of a p,q sequence relating to a continued fraction as its own upper bound 29.3(1991)228
- Proposed by K. Beanland, H.V. Chu & C.E. Finch-Smith

To: Alternative proof of a theorem involving Turán graphs 60.2(355)

Proposed by A.T. Benjamin, J. Crouch & J.A.Sellers

To: Suggestions for proving some Lucas isentities by tiling methods 57.1(30) Proposed by A.T. Benjamin, J.J. Quinn & J.A. Rouse

To: Find a combinatorial proof that Fibonomials are always integers, PIX (2004)23 Proposed by A.T. Benjamin & E. Reiland

- 1. To: Use combinatorial methods to prove several Fibonomial identities 52.5/PXV!(33)
- Proposed by K.S. Berenhaut, E.M. Magargee & B.J. Stancil
- 1.2 To: Establishing cycles of solution to pairwise linear recursive equations PXIV(2011)52
- 2.20 To: Convergence of solutions to higher order pairwise linear recursive equations PXIV(2011)57
- 2.21 To: Convergence of solutions to higher order pairwise linear recursive equations PXIV(2011)57
- 2.22 To: Convergence of solutions to higher order pairwise linear recursive equations PXIV(2011)57
- Proposed by K.S. Berenhaut, D.C. Morton & Y.W. Fan
 - To: What is a general form for the maximum possible value for the nth term of a kth ordered linear recurrence? PXI(2009)60

Proposed by G.E. Bergum & M. Bicknell-Johnson)

- 1. To: Divisibility and generalized Fibonacci numbers, PII(1988)204
- 2. To: Largest perfect square in a generalized Fibonacci sequence, PII(1988)204
- 3. To: Triangular numbers in a generalized Fibonacci sequence, PII(1988)204
- 4. To: Complete generalized Fibonacci sequences, PII(1988)204
- 5. To: Roots of the characteristic equation of a certain generalized Fibonacci recursion relation, PII(1988)204

Proposed by G.E. Bergum & M.N. Deshpande

- To: From various arrays find row sequences which satisify the condition that if three consecutive terms in the row satisify a given property, so will the fourth term PVI(1996)91
- To: Generalize the results on arrays given in the article, PVI(1996)91
- To: Prove the converse of two theorems on various arrays as presented in the given article PVI(1996)92

Proposed by V. Berthé, S. Brlek & P. Choquette

To: Prove an identity for the sequence of Fibonacci words PXI(2009)70

Proposed by G. Berzsenyi

- 1. To: Pythagorean Triples, MRFS(1980)34
- 2. To: Diophantine Equation, MRFS(1980)34
- 3. To: Square terms in arithmetic progressions, MRFS(1980)34
- 4. To: Boxes of maximum volume and integral height, MRFS(1980)34
- 5. To: Fourth degree polynomials with extrema and inflection points with integral coordinates, MRFS(1980)34
- 6. To: Integral triangles, MRFS(1980)34

Proposed by S. Beslin

- 1. To: Ordered sets for which the determinant of the gcd-matrix is positive 29.3(1991)274
- 2. To: Factor-closed sets for which the determinant of the gcd-matrix is positive 29.3(1991)274
- 3. To: Ordered sets for which the determinant of the gcd-matrix is zero 29.3(1991)274
- Proposed by S. Beslin & S. Ligh

To: GCD-Closed sets and k-sets 30.2(1992)160

Proposed by M. Bicknell (M. Bicknell-Johnson)

- 1. To: A Fibonacci Crostic, 9.5(1971)538; Corrections 10.2(1972)198
- 2. To: A Golden Double Crostic 16.1(1978)67
 - So: 16.1(1978)83

To: Finding nearly isosceles triangles, PIV(1991)50

To: finding the least integer having p Fibonacci representations (p prime) 40.3(2002)265 Proposed by D.P. Bighauser & G.A. Heuer

- 1. To: Investigate final digit sequences for various powers of integers 43.4(2005)350
- To: Investigate final digit sequences for various powers of integers in bases 8 and 12 43.4(2005)350

Proposed by M.S. Boase

To: Investigating recursively defined integers and divisibility 39.5 (2001)391 Proposed by M.B. Boisen

- 1. To: Finding a generating function for extracting balls from an urn 7.2(1969)138 So: 7.2(1969)139
- 2. To: Non trivial left adjusted Pascal's triangle whose overlay determines a given sequence 7.2(1969)139

Proposed by Robert Booth & Hieu D. Nguyen

To: Redefine and find a formula for hypergeometric Bernoulli polynomials 46/47.1(2008-9)46

Proposed by J. Brillhart & E. Lehmer

To: Cubic congruence and Fibonacci numbers 9.5(1971)525

Proposed by P. Bruckman

- To: Transformations and closed forms for functions defined by certain series representations, MRFS(1980)86
- To: Suggested generalizations and related research into pseudoprimes 34.4(1996)340
- 1. To: Solve a given cubic 3-variable Diophantine equation PXII(2010)325
- 10. To: Questions about an inequality concerning the smallest element in a given set of numbers depending on prime numbers PXII(2010)329-30
- 10. To: Find the sum of the reciprocals of the enty points of a prime number; do the same for the squares of the enty points PXIII(2010)381

Proposed by O. Brugia & P. Filipponi

To: Finding Fibonacci and Lucas numbers of the form $n^2 - n - 1$, 37.3(1999)264

Proposed by P.F. Byrd

- P-1 To: Differential equation for Fibonacci polynomials 1.1(1963)28; Correction, 2.2(1964)126
- P-2 To: Bessel functions and Fibonacci numbers, 1.1(1963)28
 So: Expansions of Bessel Functions in Terms of Fibonacci Numbers 2.2(1964)125
- P-3 To: Reciprocal relation for Fibonacci polynomials,1.1(1963)29 So: Inversion of Fibonacci Polynomial, 3.1(1965)46; 6.6(319)
- P-4 To: Determinant for Fibonacci polynomials 1.1(1963)29
- P-5 To: Rodriguez-type formula for Fibonacci polynomials 1.1(1963)29
- Proposed by N.D. Cahill, J.R. D'Errico & J.P. Spence
 - To: Show the equivalence of Binet's formula and the complex trigonometric form for Fibonacci numbers 41.1 (2003)19
- Proposed by N.J. Calkin, J.G. Stevens & D.M. Thomas
 - To: Analyzing various properties of the Ducci map 43.1(2005)57
- Proposed by D. Callan
 - To: Conjectures and questions concerning divisibility properties of submodules of integer-valued functions 34.5(1996)298,299
- Proposed by C.M. Campbell & P.P. Campbell
- 1. To: Resolve Wall's conjecture PXI(2009)101
- 2. To: Find a formula for the nth Wall number PXI(2009)101
- 3. To: Investigate infinite groups with finite Fibonacci length PXI(2009)101
- 4. To: Determine if families of groups exist that produce Fibonacci lengths that increase quadratically or exponentially PXI(2009)101
- Proposed by C.M. Campbell, P.P. Campbell, H. Dootsie & E.F. Robertson
 - To: It is conjectured that if m is odd the Fibonacci length of the dihedral group $(D^2)_{2m}$ is equal to 8m. PIX (2004)84

Proposed by P.J. Campbell & C. Moeller

- 1. To: Characteristic numbers of sequences, MRFS(1980)16
- 2. To: Characteristic numbers of sequences and L-factors, MRFS(1980)16
- 3. To: Powers of Brousseau numbers and sequences, MRFS(1980)16
- Proposed by W. Carlip & E. Jacobson
 - To: Stability of two term recurrence sequences 34.4(1996)305

Proposed by L. Carlitz

- A. To: Evaluate the maximum of summands in a Fibonacci representation of n in terms of the canonical representation of n 8.2(1970)134
- B. To: Determine if the number of representations of n as a sum of Fibonacci numbers is 1, 8.2(1970)134
- C. To: Unimodular properties of the function for the number of representations of n as a sum of Fibonacci numbers 8.2(1970)134
- D. To: Logarithmic concavity of the function for the number of representations of n as a sum of Fibonacci numbers 8.2(1970)134
- E. To: Solving the equation setting the function for the number of representations of n as a sum of Fibonacci numbers 8.2(1970)134
- Proposed by L. Carlitz & D.E. Knuth
- 3i To: Lucas product identity 12.1(1974)79;82
- 3ii To: Fibonacci product identity 12.1(1974)82

Proposed by M.Catral, P.L. Ford, P.E. Harris, S.J.Miller, D. Nelson, Z. Pan & H. Xu

To: Several questions relating to the number of legal decompositions by the Fibonacci quilt 55.3(2017)273

Proposed by Z. Chen & J. Greene
To: Prove that a base 2-pseudoprime which is also Fibonacci pseudoprime exists
41.4(2003)343
To: Let m,n be relative prime; A,B disjoint sets of primes with no member dividing
mn. Suppose that for each reduced residue class x of m and y or n, there are
nonempty subsets S,T of A and U,V of B so that $f(S) \equiv x \pmod{m}$ and
$f(U) \equiv y \pmod{m}$, $F(T) \equiv y \pmod{n}$ and $F(V) \equiv y \pmod{n}$. Then for each residue
class z of mn, there is a subset W of A B such that $f(W) \equiv z \mod(mn)$.
41.4(2003)343
Proposed by J.T.A. Christos, R.L. Ollerton & A.G. Shannon
To: Nine questions suggesting further studin ino the graph theoret analys of trellises
PXII(2010)252-3
Proposed by H.V. Chu
To: Determine any relationships for a given specific sequence. 59.2(2021)157
Proposed by S.Z. Chun
To: Conjecture concerning power matrices 34.4(1996)296
To: Conjectures on certain sums from integral sets 34.4(1996)296,297
Proposed by E.A. Clark, R.A. Bateman, M.L. Hancock & C.A. Reiter (See R.A. Bateman)
Proposed by C. Cooper
4.1 To: Does every positive k-generalized Fibonacci-type sequence appear as a row in a
k-Zeckendorf array? PXIV(2011)89 and as 3. PXIV(2011)280
Proposed by C.N. Cooper & R.E. Kennedy
To: Closed form for the sum of a series of digital sums,29.2(1991)148
To: Largest space on a lottery ticket 29.4(1991)370
To: Find the closed form for a given summation and generalize 31.4(1993)344
To: Finding cycles in the RATS game, PVIII (1999)92
To: Proving John Conway's RATS conjecture, PVIII(1999) 92
Proposed by C. Cooper, R.E. Kennedy & M. Renberg
To: Finding closed forms for 5 number base digital sums 36.5(1998)414,415
Proposed by C. Cooper & S. Shattuck
To: Conway's conjecture for a RATS game 39.2 (2001)106
To: length of divergent RATS sequence 39.2 (2001)106
Proposed by C. Cooper & M. Wiemann (See under Wiemann)
Proposed by J. N. Cooper
1. To: Calculate the Hausdorf dimension of a certain set of reals 44.4(2006)301
2. To: Draw a connection between the above Hausdorf dimension and the asymptotic
density of a set of integers related to bounded partial quotients in certain
continued fractions 44.4(2006)301
Proposed by R.B. Corcino, L.C. Hsu & E.L. Tan
1. To: Constructing a generating function of some generalized Stirling numbers 44.2(2006)163
2. To: Establishing a vertical recurrence relation for some generalized Stirling numbers $44.2(2006)163$
3. To: Determining linear relations between two kinds of generalized Stirling numbers
44.2(2000)104 Droposed by E. Crowford
$\frac{r_{10}}{1}$
So: 12.1(1974)46:79
2. To: Integers having complete Fibonacci residues, 12.1(1974)79

Proposed by J.W. Creely

- 1. To: Linear approximation of the log of a sum of numbers of modified greedy algorithm partitions of an integer 27.3(1989)257
- 2. To: Difference of sums of number of modified greedy algorithm partitions of an integer 27.3(1989)257
- 3. To: Number of prime factors of an integer having a negative difference of sums of the number of modified greedy algorithm partitions of an integer 27.3(1989)258
- 4. To: Negative differences of sums of the number of modified greedy algorithm partitions of n 27.3(1989)258
- 5. To: Modified greedy algorithm congruence and summation identity 27.3(1989)258
- Proposed by J. Crouch, J.A.Sellers & A.T. Benjamin, (See under Benjamin)

Proposed by G. Darvasi & M. Nagy

To: Researching general sequences and frequencey blocks for various recurrence relations 34.2(1996)180

Proposed by R. Dawson, G. Gabor, R. Nowakowski & D. Wiens

- 1. To: Limiting distributions of certain random Fibonacci-type sequences 23.2(1985)175
- 2. To: Infinite sets and certain random Fibonacci-type sequences 23.2(1985)176 Proposed by L. Dazheng

To: Search for Fibonacci matrices of order 4 and higher 37.1(1999)20

Proposed by M.Catral, P.L. Ford, P.E. Harris, S.J.Miller, D. Nelson, Z. Pan & H. Xu

- To: Several questions relating to the number of legal decompositions by the Fibonacci quilt 55.3(2017)273
- Proposed by T.P. Dence
- 1. To: Monotone strings of ratios of generalized Fibonacci sequences, 25.2(1987)142
- 2. To: Strings of specific length for ratios of generalized Fibonacci sequences 25.2(1987)142
- 3. To: Increasing and decreasing strings for ratios of generalized Fibonacci sequences 25.2(1987)142
- Proposed by A.J. DiScala & M. Sombra

To: Determining the density of k-palindromic numbers in various bases 42.1(2004)80 Proposed by U. Dudley & B. Tucker

To: Nine Fibonacci-Lucas identities, 9.1(1971)91

Proposed by A. Dujella

To: Extension of certain properties of Diophantine quadruples to Diophantine quintuples 34.2(174)

To: Existence of a quintuple satisfying the property of Diophantus PVII(1998)67 Proposed by B. Dular

To: Several open questions concerning cycles of sums of integers 58.2 (2020)139 Proposed by E.J. Eckert & P.D. Vestergaard

- 1. To: Variations on the group structure for the group of integral triangles having one fixed angle as that angle varies 27.5(1989)463
- To: Description of the isomorphic classes of the group of integral triangles having one fixed angle 27.5(1989)463
- 3. To: Isomorphic groups of integral triangles having one fixed angle 27.5(1989)463
- 4. To: Properties of Pythagorean triangles for triangles in the group of integral triangles having one fixed angle 27.5(1989)463

Proposed by the Editor

To: Research Project: Fibonacci Nim 1.1(1963)63

So: Fibonacci Nim 1.4(1963)9

Proposed by M. Elia

- To: Searching for invariant sequences under transformations induced by automorphisms of certain quadratic fields, PVII(1998)92
- To: Integer representation by cubic forms 39.2 (2001)115

Proposed by M. Elia & J.C. Interlando

- 1. To: In m-dimensional space determine whether the maximum center density is achievable finitely or asymptotically 41.3 (2003)287
- 2. To: Determine if the theta series of a Fibonacci ideal lattice can be expressed in terms of a finite initial set of theta series 41.3 (2003)288

Proposed by E.I. Emerson

- 1. To: Solving Pell equations 7.3(1969)239
- 2. To: Solving Pell equations 7.3(1969)239
- 3. To: Recurrence relations for solutions to certain Pell equations 7.3(1969)239
- 4. To: Congruence relation for solutions to certain Pell equations 7.3(1969)240
- 5. To: Summation formulas for solutions to certain Pell equations 7.3(1969)240
- 6. To: Recurrence relations for solutions to certain Pell equations 7.3(1969)240

Proposed by H. Erickson & M. Jonsson

To: Extending some results of the Bulgarian solitaire game to all cases 55.3(2017)250

To: Some problems on cycle partitions of non-triangular numbers 55.3(2017)250

Proposed by L. Erickson

- To: Determining if given necessary & sufficient conditions that guarantee that certain numbers relating to 2nd order recurrence sequences are prime are true PXII(2010)325-6
- 5. To: Seek a k-tuple whose elements are the difference between primes and members of a set of even integers PXIII(2010)378

Proposed by B. Essebbar

To: Find a combinatorial solution to a double indexed nth order difference equation 41.4(290) Proposed by E. Fang, J. Jenkins, Z. Lee, D. Li, E. Lu, S.J. Miller, D. Salgado & J.M.Siktar

To: Five problems relating to paths in a two-dimensional lattice 58.3(2020)220 Proposed by P. Filipponi

To: Proof of a Pell-Lucas identity, 33.3(1995)257

To: Determining summation formulas for some Horadam sequences 35.1(1997)61

- To: Proof of a Lucas identity 36.1(1998)63
- Proposed by P. Filipponi & H.T. Freitag
 - To: Hyperbolic function matrix identity, PIV(1991)97
 - To: Hyperbolic function summation identity, PIV(1991)98
 - To: Hyperbolic function identity, PIV(1991)98
 - To: Establish divisibility and primality properties for the elements of Fibonacci autocorrelation sequences 32.4(1994)368

Proposed by P. Filipponi & A.F. Horadam

To: Identites to be discovered from the Cholesky decomposition matrix 29.2(1991)173

- i. To: Simson formulas, PV(1993)329
- ii To: Pell and Pell-Lucas integration sequences, PV(1993)330
- iii To: Double integration sequences, PV(1993)330
 - To: Several conjectures and identities related to derivative sequences of Fibonacci and Lucas polynomials are offered for examination. 31.3(1993)203
 - To: An extension of a development on derivative sequences of Fibonacci and Lucas polynomials to Pell and Pell-Lucas polynomials is suggested. 31.3(1993)204
 - To: Several questions on partial derivztive secuences of the second order are considered, PVI(1996)121

Proposed by P. Filipponi & A.F. Horadam
To: Closed form reciprocal sum of Jacobsthal integration function of triangular
numbers PVIII(1999)137
Proposed by P. Filipponi & R. Menicocci
To: Consider various probabilistic aspects of the terminal digits of the Lucas
sequence 33.4(1995)330
To: Find the probability that a random Fibonacci number and a random Lucas number
have the same terminal digit 33.4(1995)330
Proposed by H.T. Freitag & G.M. Phillips
To: Congruence relation for a general (m+1) th order recurrence relation, PII(1988)43
To: Seeking efficient algorithms for Zeckendorf arithmetic, PVII(1998)132
Proposed by C.P. French
To: Finding the number of 1's in the continued fraction expansion of various
Fibonacci ratios of the form $(F_{n+k}/F_n)^{1/k}$ 44.3(2006)215
Proposed by D.D. Frey & J.A. Sellers
To: Closed form for the sum representing the generalization of Bailey's generalized
Catalan numbers 39.2 (2001)147
To: Proof of a summation formula for the sum representing the generalization of
Bailey's generalized Catalan numbers 39.2 (2001)148
Proposed by R. Frontczak
. To: Find a general identity that have sums of two and three factors of combinations of
Fibonacci, Lucas, Tribonacci and Tribonacci-Lucas numbers as special cases 56.3(274)
Proposed by C. Georghiou & A.N. Philippou
To: Closed form for the sum of a series involving the harmonic sequence and the
Riemann zeta function 21 1(1083)36
Remain Zeta function 21.1(1963)56
Proposed by I.M. Gessel & T. Lengyel
<u>Proposed by I.M. Gessel & T. Lengyel</u> To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454
Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica
Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime
Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72
Proposed by I.M. Gessel & T. LengyelTo: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454Proposed by A. GicaTo: Conjecture on the existence of a sequences satisfying a congruence modulo a prime $46/47.1(2008-9)72$ To: Two congruences p^2 of a special sum involving the roots of x2 - ax - b = 0. $60.3(2022)253$
Richam Zeta function 21.1(1963)30Proposed by I.M. Gessel & T. LengyelTo: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454Proposed by A. GicaTo: Conjecture on the existence of a sequences satisfying a congruence modulo a prime46/47.1(2008-9)72To: Two congruences p^2 of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253Proposed by F.S. Gillespie
Richam Zeta function 21.1(1983)30Proposed by I.M. Gessel & T. LengyelTo: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454Proposed by A. GicaTo: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72To: Two congruences p^2 of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253Proposed by F.S. GillespieTo: Kummer congruences obtained from various LCM-partitions 30.4(1992)365
Neuron 21.1(1983)30Proposed by I.M. Gessel & T. LengyelTo: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454Proposed by A. GicaTo: Conjecture on the existence of a sequences satisfying a congruence modulo a prime46/47.1(2008-9)72To: Two congruences p^2 of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253Proposed by F.S. GillespieTo: Kummer congruences obtained from various LCM-partitions 30.4(1992)365Proposed by H. Glaser & G. Schöffl
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Skew circulant of a particular matrix 24.1(1986)48
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Skew circulant of a particular matrix 24.1(1986)48 To: Norms of Cyclotomous integers 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Skew circulant of a particular matrix 24.1(1986)48 To: Norms of Cyclotomous integers 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Skew circulant of a particular matrix 24.1(1986)48 To: Norms of Cyclotomous integers 24.1(1986)54 To: Products of skew circulices 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Skew circulant of a particular matrix 24.1(1986)48 To: Norms of Cyclotomous integers 24.1(1986)54 To: Products of skew circulices 24.1(1986)54 To: Norms of Cyclotomous integers 24.1(1986)54 To: Norms of Cyclotomous integers 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Norms of Cyclotomous integers 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Norms of Cyclotomous integers 24.1(1986)54 i. To: Norms of Cyclotomous integers 24.1(1986)54 ii. To: Norms of Cyclotomous integers 24.1(1986)54 v. To: Norms of Cyclotomous integers 24.1(1986)54
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Norms of Cyclotomous integers 24.1(1986)54 To: Norms of Cyclotomous integers 24.1(1986)54 To: Norms of Cyclotomous integers 24.1(1986)54 To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 To: Representation of the square of certain integers 24.1(1986)54 To: Representation of the square of certain integers 24.1(1986)54 To: Expressibility of integers as skew circulants of order 4, 24.2(1986)177
Proposed by I.M. Gessel & T. LengyelTo: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454Proposed by A. GicaTo: Conjecture on the existence of a sequences satisfying a congruence modulo a prime46/47.1(2008-9)72To: Two congruences p^2 of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253Proposed by F.S. GillespieTo: Kummer congruences obtained from various LCM-partitions 30.4(1992)365Proposed by H. Glaser & G. SchöfflTo: Several questions concerning Ducci sequences are proposed 33.4(1995)323Proposed by C. Giuli & R. GiuliTo: Form for Stern's diatomic sequence, s(n, $(2r+1)2^m$) 17.4(1979)320Proposed by I.J. GoodTo: Norms of Cyclotomous integers 24.1(1986)54ii. To: Norms of Cyclotomous integers 24.1(1986)54iii. To: Norms of Cyclotomous integers 24.1(1986)54v. To: Norms of Cyclotomous integers 24.1(1986)54v. To: Norms of Cyclotomous integers 24.1(1986)54v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54v. To: Norms of Cyclotomous integers and tr
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Norms of Cyclotomous integers 24.1(1986)54 i. To: Norms of Cyclotomous integers 24.1(1986)54 ii. To: Norms of Cyclotomous integers 24.1(1986)54 v. To: Norms of Cyclotomous integers 24.1(1986)54 v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 v. To: Representation of the square of certain integers 24.1(1986)54 vi To: Representation of the square of certain integers 24.1(1986)54 vi To: Representation of the square of certain integers 24.1(1986)54 vi To: Representation of the square of certain integers of the form a+ai is valid for Gaussian integers of the form a+bi? 31.1(1993)19
 Proposed by I.M. Gessel & T. Lengyel To: order of divisibility properties for Stirling numbers of the second kind 39.5 (2001)453,454 Proposed by A. Gica To: Conjecture on the existence of a sequences satisfying a congruence modulo a prime 46/47.1(2008-9)72 To: Two congruences p² of a special sum involving the roots of x2 - ax - b = 0. 60.3(2022)253 Proposed by F.S. Gillespie To: Kummer congruences obtained from various LCM-partitions 30.4(1992)365 Proposed by H. Glaser & G. Schöffl To: Several questions concerning Ducci sequences are proposed 33.4(1995)323 Proposed by C. Giuli & R. Giuli To: Form for Stern's diatomic sequence, s(n, (2r+1)2^m) 17.4(1979)320 Proposed by I.J. Good To: Norms of Cyclotomous integers 24.1(1986)54 i. To: Norms of Cyclotomous integers 24.1(1986)54 ii. To: Norms of Cyclotomous integers 24.1(1986)54 v. To: Norms of Cyclotomous integers 24.1(1986)54 v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 v. To: Norms of Cyclotomous integers and triangular numbers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: Representation of the square of certain integers 24.1(1986)54 vi. To: How much of a theory of complex Fibonacci & Lucas numbers considered for Gaussian integers of the form a+ai is valid for Gaussian integers of the form a+bi? 31.1(1993)19 To: Under what conditions is a pseudoprime as described in the article a prime? 31.1(1993)19

Proposed by H.W. Gould

- To: A Fibonacci crossword puzzle 4.1(1966)59
- So: 4.2(1966)150

Proposed by H.W. Gould, J.B. Kim & V.E. Hoggatt, Jr.

To: Generating function for base 10 coding numbers 15.4(1977)312

Proposed by H.W. Gould & J. Quaintance

- 1. To: Provide combinatorial proofs for Vosmansky identities 48.1(2010)60
- To: Find q-analogues and determine their combinatorial meaning for Vosmansky identities 48.1(2010)60
- 3. To: Find 2 or 3 variable generalizations for Vosmansky's identity 48.1(2010)60
- Proposed by M.B. Gregory & J.M. Metzger
 - To: Sequences of sines whose argument is the general term of a recurrence relation 16.2(1978)120
- Proposed by M. Griffiths & A. Bramham
- 1. To: Find a combinatorial proof of an identity for the Lucas-jacobsthal convolution 53.2(2015)1478
- 2. To: Find a mathematical explanation for the inclusion of all the Jacobsthal-complete moduli Into the set of all Lucas-complete moduli 53.2(2015)150

Proposed by G.A.R. Guillot

- 1. To: Sums of arctangents of reciprocals of Fibonacci numbers 15.3(1977)232
- 2a. To: Lower bounds for sums of Fibonacci reciprocal expressions 15.3(1977)232
- 2b. To: Lower bounds for sums of Fibonacci reciprocal expressions 15.3(1977)232
- 3a. To: Sums of arctangents of Fibonacci rational expressions-numbers 15.3(1977)257
- 3b. To: Sums of arccosines of Fibonacci rational expressions-numbers 15.3(1977)257
- 3c. To: Sums of arcsines of Fibonacci rational expressions-numbers 15.3(1977)257
- 4. To: Finding expressions whose sums equal the difference between a Fibonacci number and the sum of primes that Fibonacci number 15.3(1977)257

Proposed by R.K. Guy & W.O.J. Moser

To: Researching congruence and divisibility properties of subsequences of integers whose odd (even)members have at least one odd (even) neighbor 34.2(1996)155

Proposed by H.S. Hahn

- To: Polynomial mappings from the set of ordered pairs of positive integers to the set of positive integers 10.6(1972)628
- Proposed by N. Hamlin & W.A. Webb
 - To: If a sequence does not satisfy a positive recurrence, can an integer, *N* be uniquely be represented in a general Zeckendorf expansion? 50.2(2012)105

Proposed by S. Haque & J.Shallit

To: What sequence shave shift-invariant discriminators 57.1(8)

Proposed by H. Harborth

To: Checkerboard games and mosaic graphs, PIII(1990)127

- To: Polyominoes and (p,q)-mosaic graphs, PIII(1990)127
- To: Smallest number of edges of a (p,q)-mosaic tesselation, PIII(1990)127
- To: Smallest number of edges of a Fibonacci tesselation, PIII(1990)127
- [Note: $N_b(k)$ and $N_F(k)$ are the maximum number of levels of realizable b-adic and Fibonacci trees, respectively, in edge to edge packings of regular k-gons in the plane and S(k), the smallest number of vertices of certain non extenable trees.]
- 1. To: $N_3(\infty) \le 2$, PV(1993)274
- 2. To: $N_2(\infty) \le 5$, PV(1993)275
- 3. To: Minimal k for which $N_2(k) = 4$ and 5; and $N_3(k) = 2$, PV(1993)275

Proposed by H. Harborth

- 4. To: Maximal k for which $N_2(k) = 4$ and $N_3(k) = 1$, PV(1993)275
- 5. To: $N_F(\infty) \le 10$, PV(1993)276
- 6. To: Minimal k for which $N_F(k) = 8, 9$ and 10, PV(1993)276
- 7. To: Maximal k for which $N_F(k) = 5, 6, 7, 8$ and 9, PV(1993)276
- 8. To: Minimal k for which S(k) = 10, PV(1993)276
- 9. To: Maximal k for which S(k) > 10, PV(1993)276
- 3. To: Determine the minimum number of 0's in a 0-1 matrix that will guarentee that no 1 has 4 neighboring 1's PXII(2010)326
- 4. To: Determine the number of 0-1 matrices that contain a 2x2 submatrix with 0's only PXII(2010)326
- 5. To: Determining if a given sequence can be written into an edge-to-edge sequence of hexagons so that the sum satisfies a given function PXII(2010)326-7
- 1. To: Find all n such that the base 10 reversal of 2^n is prime PXIII(2010)377
- To: For arbitrary k, find all n > 1 such that the sum of the digits of n^k equals n PXIII(2010)377)
- 6. To: For n > 2, does there exist a fair magic (hexagon) board? PXIII(2010)378-9
- To: For an n-dimensional cube with colored vertices, what is the minimum number of colors needed so that each path along the edges uses one color an odd number of times? PXIII(2010)379)
- 4. To: A conjecture of H-D. Gronau and M. Krüppel concerning Pascal's triangle modulo a prime p, PXIV(2011)281
- 6. To: Find a formula for the maximum number of 0's in an n x n zero-one matrix such that every 0 has at most 3 neighboring 0's (in row and columns, PXIV(2011)281
- 7. To: Find the area of the convex hull of an eege to edge pentagpnal packing and also the minimal area of the convex hull for n regular pentagons, PXIV(2011)282
- Proposed by H. Harborth & S. Jäger

To: Finding mosaic numbers, PIV(1991)132

- Proposed by H. Harborth & A. Kemnitz
 - To: Existence of Fibonacci triangles, PIII(1990)131
 - To: Smallest dimension for which the Fibonacci representation of a complete graph exists, PIV(1991)138
- Proposed by H. Harborth & S. Lohmann
- To: General estimates for mosaic numbers of a Fibonacci tree, PIII(1990)136 Proposed by H. Harborth & M. Möller
- To: Existence of an infinite number of integral combinatorial boxes, PVII(159) Proposed by H. Harborth & L. Piepmeyer

To: Diameters of two distance sets and the golden ratio, PV(1993)287

Proposed by P. Haukkanen

To: Multiplicative functions and k-ary convolvolutions 38.5 (2000)444 Proposed by R.J. Hendel

- To: Prove a generalization of a Fibonacci summation identity 45.2(2007)131
- To: Given the 2^{nd} order recursion $G_n = ca^n + db^n$ with a,b,c,d real, $cd \neq -1$, a>0 and max $\{1, |b|\} < a$:
- 1. To: Are there an infinite number of quadruples {a,b,c,d} whose periods have a given length? 49.1(2011)44
- 2. To: For which quadruples and how frequently are the sums of the periods 0? 49.1(2011)44
- 3. To: Characterize the quadruples and frequency of theose having antisymmetric periods of having single max-min sets. 49.1(2011)44

Proposed by R.J. Hendel

- 4. To: Find parametrically defined infinite subsets of quadruples having periods exhibiting patterns similar to those of continued fractions of quadratic irrationals. 49.1(2011)44
- 1.. To: Describe the compliment of the range of Kimberling's function 48.3(2011)219
- To: Describe all n such that Kimberling's function has infinitely many solutions 48.3(2011)219
- 3.. To: Prove that the set of values not in the range of Kimberlin's function has positive density and find that density 48.3(2011)219
- 4.. To: Find and prove theorems relating to Kimberlin's function 48.3(2011)219
 To: Two questions about identities generated by the Tagiuri Generation Method PXVII(84,85)

Proposed by M.M. Herreshoff

- To: Try to find nice answers to various sums of products of powers and Fibonacci numbers PXII(2010)184-185
- Proposed by C.J. Hillar & T. Windfeldt
- 1. To: Is there a graph coloring proof of Cassini's identity? 46/47.3(2008-9)224 Proposed by R. Hochberg & G. Hurlbert
- 1. To: Prove that for every $n \ge 3$ there are infinitely many Pythagorean n-tuples, PIX (118)
- 2. To: Characterize primitive Pythagorean n-tuples having three parameters, PIX (118)
- 3. To: Determine if there exists infinitely many n for which there exists a nested Pythagorean n-tuple, PIX (118)
- 4. To: Determine if there exists any n for which there exists infinitely many nested Pythagorean n-tuples, PIX (119)
- 5. To: Classify all primitive Pythagorean n-tuples of surd 1, PIX (119)
- 6. To: Various questions about Pythagorean 4-tuples having common geometric properties PIX (119)

Proposed by V.E. Hoggatt, Jr.

- 1. To: Row sums of Pascal's triangle 8.2(1970)168
- 2. To: Fibonacci convolution triangle and Pell numbers 8.2(1970)168
- 3. To: Fibonacci convolution triangle and the sequence of powers of three 8.2(1970)168
- 4. To: Convolution triangle for powers of three and alternate Fibonacci numbers 8.2(1970)168
- 5. To: Fibonacci convolution triangle for every third Fibonacci number 8.2(1970)179

Proposed by A. Holshouser, H. Reiter & J. Rudzinski

To: If L(n) is the smallest possible winning move in a certain one pile dynamic Nim game,

the L(L(n)) = L(n) 41.3 (2003)261

Proposed by J.M. Holte

To: Compute the Fibonomial coefficients modulo certain primes 32.1(1994)63 Proposed by A.F. Horadam

- To: Generalization of Delannoy's "arithmetical square" 16.1(1978)36
- To: Three Diophantine equations of Master Theodorus taken from Liber quadratorum 29.2(1991)106
- To: Jacobsthal numbers and Asveld polynomials, PIII(1990)153
- To: Falling factorial, Pell, Pell-Lucas and Jacobsthal polynomials, PIII(1990)153
- To: The life and mathematical works of Angelo Genoccchi, PIV(1991)165
- To: Find a negative subscript Simson analogue of a Simson formula for the sums of generalized Pell numbers 32.5(1994)435
- To: Justify the name Eudoxus numbers for Pell & Pell-Lucas numbers 32.5(1994)440
- To: Researching various MinMax polynomials and numbers 34.1(16)
- To: Researching Jacobsthal numbers and polynomials 34.1(53)
- To: Researching extensions of various polynomials 34.1(74)
- To: Researching extensions of properties of Jacobsthal polynomials 35.2(148)

Proposed by A.F. Horadam

- To: Researching properties of diagonal functions relating to generalizations of Morgan-Voyce polynomials 35.3(239)
- To: Questions concerning Jacobsthal polynomials and gamma functions 35.4(370)
- To: Divisibility applications of minmax sequences of Pell numbers, PVI(1996)248
- To: Finding relationships for Morgan-Voyce numbers and between them and Brahmagupta polynomials 37.4(1999)324
- To: Finding differential equations for rising diagonal functions of quasi Morgan-Voyce polynomials, PVIII 193
- To: Investigating properties for the general case of Jacobsthal and Jacobsthal-Lucas convolution polynomials 40.3(2002)222
- To: Discovering properties of divisibility and of rising and falliing diagonals for Vieta-Fibonacci and Vieta-Lucas polynomials 40.3(2002)231
- To: Discovering properties of convolutions for Vieta-Fibonacci and Vieta-Lucas polynomials 40.3(2002)232
- To: Obtaining sets of Vieta numbers from Vieta-Fibonacci and Vieta-Lucas polynomials 40.3(2002)232
- To: Investigate rising and falling diagonal convolution polynomials for Chebyshev polynomials 43.2(2005)121
- Proposed by A.F. Horadam, R.P. Loh & A.G. Shannon
 - To: Solutions of a functional equation, PIV(1991)276
- Proposed by A.F. Horadam & A.G. Shannon
- To: Investigating modular lambda triangles 40.5 (2002)415
- Proposed by F.T. Howard
 - To: Highest power of a prime dividing numbers generated by a rational power of a generating function 39.4 (2001)364
- Proposed by D.F. Howells & J.C. Pond
- 1. To: Unsafe moves in Fibonacci Nim 3.1(1965)62
- 2. To: Formulas for unsafe Fibonacci Nim moves 3.1(1965)62
- 3. To. Difference of Fibonacci Nim unsafe moves 3.1(1965)62
- 4. To. Density of Fibonacci Nim unsafe moves 3.1(1965)62
- 5. To: Probability of winning in Fibonacci Nim 3.1(1965)62
- 1. To: Closed form for unsafe moves in Fibonacci Nim 3.1(1965)62
- 2. To: Limiting density in the positive integers of the number of unsafe moves in Fibonacci Nim 3.1(1965)63

Proposed by L.C. Hsu

- 1. To: Horizontal recurrence relations for generalized Stirling number pairs 25.4(1987)349
- 2. To: Asymptotic expansions for GSN pairs 25.4(1987)349
- 3. To: Asymptotic normality and GSN pairs 25.4(1987)349
- 4. To: Extension of GSN pairs to multiparameters 25.4(1987)349
- Proposed by M. Jaidee & P. Pongsriiam
 - To: Various questions concerning arithmetic functions of Fibonacci and Lucas numbers 57.3(2019)252

Proposed by J.A. Jeske

- P-1 To: Solving the Lucas recurrence relation 1.2(1963)74
- P-2 To: Exponential generating function for the solution of a recurrence relation 1.2(1963)74

Proposed by J.P. Jones

To: Singlefold Diophantine set of Fibonacci numbers, PIII(1990)201

- 1. To: Non-Fibonacci numbers and Diophantine sets in two unknowns, PV(1993)392
- 2. To: Non-Fibonacci numbers and Diophantine sets in three unknowns, PV(1993)392
- 3. To: Non-Fibonacci numbers and single fold Diophantine sets, PV(1993)392
- A. To: Cyclic underlying algebras of Fibonacci varieties, PV(1993)394
- B. To: Cyclic branch covers over knots, PV(1993)395
- C. To: Dual Fibonacci manifolds, PV(1993)396
- D. To: Dual Fibonacci manifolds and branched covers over knots, PV(1993)396
- 1. To: Solutions to an equation involving Euler's totient 28.2(1990)165
- To: Solutions to an equation involving Euler's totient 28.2(1990)165 To: Nonsimple numbers and reduced φ-partitions 29.4(1991)350

Proposed by M.A. Kahn & H. Kwong

To: Classify all perfect squares of the form $2n^2 + a$ according to the value of a 43.2(2005)102 Proposed by S. Kahan

To: Generating mutual counting sequences 18.1(1980)50

Proposed by C. Kimberling

To: Maximum number of terms common to two sequences of a specific type PIV(1991)188

- 1. To: Complete Stolarsky arrays, PV(1993)412
- 2. To: Lexicographically ordered justified arrays, PV(1993)413
- 3. To: Justified arrays, PV(1993)414
- 4. To: Stolarsky arrays, PV(1993)416
- 5. To: Stolarsky arrays, PV(1993)416
- 6. To: Stolarsky arrays and Stolarsky interspersion, PV(1993)416
- 7. To: Non-Fibonacci numbers and Stolarsky interspersion, PV(1993)416
- 8. To: Stolarsky interspersion, PV(1993)416
- 9. To: Stolarsky interspersion, PV(1993)416
- 10. To: Dual Stolarsky array, PV(1993)416
- 11. To: Complete Stolarsky arrays and Stolarsky interspersion, PV(1993)416
 - To: Investigation of palindromic sequences 36.2(1998)173
 - To: Upper symbiotic number of two linearly-ordered sets 39.4 (2001)372
 - To: array patterns for number of paths function 39.5 (2001)432
- 6. To: Prove that a pair of Fibonacci numbers satisfy a give quadratic equation PXII(327)
- 9. To: Prove that the lower Wythoff sequence solves a given complementary equation PXIII(381)
- 5. To: Prove or disprove that every positive integer can be written as $([nr] + n 1)/F_{2k}$ for some positive integers n and k. PXIV(2011)281

Proposed by W.F. Klostermeyer, M.E. Mays, L. Soltes & G. Trapp

To: Conjectures about the properties of Pascal's rhombus 35.4(327,328)

Proposed by A. Knopfmacher & J. Knopfmacher

To: Metrical properties of alternating product expansion of real numbers, PIII(1990)215

To: Continued fraction expansion of maximum length for Legendre, Hermite and

Chebyshev (second kind) polynomials, PIII(1990)221

Proposed by S.W. Knox

To: Nonsimple k-nacci sequenceable groups 30.2(1992)120

Proposed by T. Koshy & Z. Gao

To: Combinatorially interpret non-linear 1st order recurrence relations 55.1(2017)20 <u>Proposed by V. Krčadinac</u>

To: Finding formulas fo lower Fibonacci numbers 44.4(2006)339

Proposed by S.T. Kuhn & A. Vogt

- 1. To: Strings of digits 30.1(1992)52
- 2. To: Necessary and sufficient conditions that the digit one does not appear in a rightmost string of digits of an integer 30.1(1992)52
- 3. To: Upper bounds for length of rightmost string of digits, not having a one digit, for an integer 30.1(1992)52
- 4. To: Appearance of ones in a digit string 30.1(1992)53

Proposed by P. Lafer

- 1. To: Relationship between square-triangular numbers and members of a sequence satisfying a given recurrence relation 9.1(1971)104
- 2. To: Necessary and sufficient conditions that a square-triangular number be odd 9.1(1971)104
- 3. To: Binet-type formulas for square-triangular numbers 9.1(1971)104
- 4. To: Nonlinear recurrence relation related to square-triangular numbers 9.1(1971)104
- 5. To: Square-triangular numbers and recurrences 9.1(1971)104
- 6. To: Recurrence relations related to square-triangular numbers 9.1(1971)104
- 7. To: Binet-representations for general terms of sequences related to square-triangular numbers 9.1(1971)104
- 8. To: Square-triangular numbers as solutions to Pell equations 9.1(1971)104

Proposed by J. Lahr

- To: Determining initial conditions for peaks of equal magnitude in a Fourier transform, PIII(1990)237
- 8. To: Prove that the area of a sequence of given triangles converges to one half the golden ratio PXII(328-9)

Proposed by P.J. Larcombe & E.J. Fennessey

To: Solving observations made fro a 3rd order Horadam recurrence relation 55.2(2017)175 Proposed by S. Legendre

1. To: Construct labeled trees for triangle numbers, sequences of powers of 2, Perrin numbers, Perrin-like numbers, Tribonacci numbers and k-bonacci numbers 53.2(2015)167

Proposed by R.Li & S.J. Miller

To: Thre questions concerning the central limit theorem for gaps of generalized Zedkendorf decompositions 57.3(2019)229

Proposed by Yao-Qiang Li

To: Finding necessary conditions for equivalences of certain divisibility properties of generalized Fibonacci numbers 59.1(2021)76

Proposed by C.T. Long

To: Biquadratic binomial identities, PIII(1990)254

1. To: Finding gcd's in numbered convex hexagons entries in Pascal's triangle, PXIV(2011)279

Proposed by F. Luca

7. To: Questions concerning the smallest integer which guarentees only a finite number of solution to a recursion involving the sum of divisors functions PXII(328)

Proposal by F. Luca & S. Laszlo

To: Show that log $f(x)/\log x$ tends to 3/2 as x approached infinity, where

 $f(x) = #\{(a,b,c) \in \mathbb{Z}^3: a > b > c \ge 1, \max\{\|ab\|_F, \|ab\|_F, \|ab\|_F\} \le x; \text{ and } \|x\| \text{ is the distance from } x \text{ to the closest Fibonacci number.}$ 51.3(2013)231

Proposed by F. Luca & S. Porubský

- 1. To: Bounds for the cardinality of subgroups generated by Lehmer numbers 41.2 (2003)130
- 2. To: Prove that the toprsion group of the factor group generated by Lehmer numbers is finite 41.2(2003)131
- 3. To: Prove that if the intersection of two Lehmer sequences is infinitely generated, then the intersection of the two corresponding range sequence is infinite 41.2 (2003)131
- Proposed by F. Luca & P Stănică
 - To: Prove that a diophantine representation for a Lucas sequence with complex conjugate roots has only finitely many integral solutions PXI(183)

Proposed by C. Lucheta, E. Miller & C. Reiter

- To: Researching control on certain digraphs 34.3(239)
- Proposed by A.L. Ludington
 - To: Form of tuples for games of maximum length 26.3(1988)203

Proposed by J.S. Madachy

- To: Expressing Fibonacci numbers using the ten digits only once and only the common mathematical operations and symbols 6.1(1968)60
 So: 6.2(1968)162
- 2. To: Finding multiples of 6 using all nine non zero digits only once 6.1(1968)61
- 3. To: Finding multiples of 6 using all ten digits only once, 6.1(1968)61
- 4. To: Finding $P^n = N$ where the sum of the digits in N is equal to n 6.1(1968)64
- 5. To: Exploring the sequence where each term is the sum of the next two terms 6.1(1968)67 So: 6.4(1968)299
- 6. To: What Fibonacci numbers are integral multiples of the sums of their digits? 6.1(1968)67
- 7. To: Finding $F_n = N$ where N = nk, 6.1(1968)67
- 8. To: Finding irregular patterns of the twelve pentominoes which form tessellation patterns 6.2(1968)164
- 9. To: Finding normal or reasonably normal Fibonacci numbers 6.2(1968)165
- 10. To: Proving that magic squares using consecutive Fibonacci numbers cannot be constructed 6.2(1968)166

So: 6.4(1968)301

11. To: Fibonacci continued fraction 6.6(1968)385

Proposed by K-H Mak

To: Find all vanishing Ducci sequence d- tuples for general d 50.4(2012)332

Proposed by D. Marques

To: Four conjectures concerning inequalities for the order of appearance (apparition) of Lucas numbers 50.1(2012)43

Proposed by D. Marques & P. Trojovoský

To: Three conjectures on identities involving positive and negative summands of of sums of Fibonomials and products of fibonacci and Lucas numbers 50.2(2012)161

Proposed by O.W. McClung

- 1. To: Generator of unitary amicable numbers 23.2(1985)164
- 2. To: Non generator of unitary amicable numbers 23.2(1985)165

Proposed by W.L. McDaniel

- 1. To: k^{-1} -Smith numbers 25.1(1987)79
- 2. To: 2⁻¹-Smith numbers 25.1(1987)79
- 3. To: k^{-1} -Smith numbers 25.1(1987)79
- 1. To: Powerful Smith numbers 25.3(1987)227
- 2. To: k-Smith numbers as nth powers of integers, 25.3(1987)227
- 3. To: Consecutive k-Smith numbers 25.3(1987)227
- 4. To: Representing integers as differences of k-Smith numbers 25.3(1987)227
- 5. To: Frequency of powerful Smith numbers 25.3(1987)227
- 6. To: Representing integers as differences of powerful k-Smith numbers 25.3(1987)227 To: Factorization technique for the Fibonacci numbers 39.3 (2001)210

Proposed by D.G. Mead

To: Finding a closed form formula for the sum of the first n terms of a given sequence 3.3(1965)213

Proposed by R.S. Melham

- 1. To: Find a general pattern of polynomials occurring in sums of Fibonacci and Lucas powers 46/47.4(2008/2009)314
- 2. To: Determine if the above polynomials are irreducible over the rational numbers 46/47.4(2008/2009)314
- 3. To: Exploring properties of sums of powers of Fibonacci and Lucas numbers 46/47.4(2008/2009)315
 - To: Verify two identities of powers of Fibonacci numbers 48.3(2010)259
 - To: Construct any number of identities involving powers of Fibonacci numbers based on given conjectures about such identities 48.3(2010)259
- Proposed by S.J. Miller & A. Newlon

To: Several questions concerning the Fibonacci quilt game. 58.2(2020)167 Proposed by S. Mohanty

- To: Finding numbers not in a multi-set without constructing the multi-set 29.2(1991)113
- Proposed by S. Mohanty & S.P. Mohanty
- 1. To: Maximum length of an arithmetic progression of Pythagorean numbers 28.1(1990)39
- 2. To: Sufficient condition that an integer be independent of a Pythagorean number 28.1(1990)41
- 3. To: Integers which are twice a Pythagorean number 28.1(1990)41
- 4. To: Integers which are thrice a Pythagorean number 28.1(1990)41
- 5. To: Pythagorean triangles having the same area 28.1(1990)41

Proposed by G.A. Moore

To: Find the limit of a sequence of maximal roots of various Fibonacci polynomial sequences 32.3(1994)217

Proposed by T.E. Moore

- To: Position of a value within the division count cycle related to the number of divisions needed in the Euclidean algorithm 27.4(1989)295
- To: Rule for governing consecutively repeated division count values within a cycle 27.4(1989)295

Proposed by W. More

To: Some open problems on the Lucas Discriminant probable prime test, PVII(288)

Proposed by P. Moses

3. To: For m > 2 find a closed form for any column of the m-order Zeckendorf array PXIII(377)

8. To: Questions concerning n-gons constructed on the sides of a given triangle PXIII(379-80) Proposed by W.B. Müller & A. Oswald

- 1. To: Test for strong Dickson pseudoprimes, PV(1993)462
- 2. To: Strong c-Dickson pseudoprimes, PV(1993)462
- 3. To: Prime factors of strong c-Dickson pseudoprimes, PV(1993)462
- 4. To: Number of strong c-Dickson pseudoprimes, PV(1993)463
- 5. To: Tests for non-superstrong Dickson pseudoprimes, PV(1993)463
- 6. To: Numbers of tests for non-superstrong Dickson pseudoprimes, PV(1993)463

Proposed by A.O. Munagi

To: Generalizing k-combinations to sets of postive integers with x separations 45.2(114)

2. To: Find the number of self-disjoint partitions of an integer n, PXIV(2011)279 Proposed by D.K. Neal

To: Characterizing parameters initiating patterns for approximating golden number 45.1(2007)38

Proposed by S. Northshield

- To: Prove that the row sums in the Gould sequence array are $2(3^{n-1})$ PXII(38)
- To: Derive the recurrence relation for a sequnce of hyperbinary representations PXII(46)
- To: Five questions concerning topographs PXIX(189)
- Proposed by M.A. Nyblom
 - To: Set inclusion of sets of polygonal numbers 39.3 (2001)263
 - To: For any sequence U_n of solutions of higher order recurrences generated with respect to relatively prime coefficients, $(U_m, U_n) = U_{(m,n)} 41.2 \text{ p155}$

Proposed by R.L. Ollerton & A.G. Shannon

To: Investigating properties and applications of generalized binomial coefficients PIX (187)

- Proposed by Padmavathamma
- 8. To: Combinatorial proof of an equation involving functions related to F-partitions 27.2(1989)130
- Proposed by G.K. Panda & A.K. Panda

1. Verifying six identities involving the solutions of certain Pell equations 52.5/PXV!(194-5) Proposed by G.K. Panda & S.S. Pradham

To: Two conjectures on cobalancing numbers 57.4(2019)362

Proposed by A. Patra & G.K. Panda

To: Investigating conditions under which a certain diophantine equation can be solved 58.1(2020)16

Proposed by C.N. Phadte & S.P. Pethe

To: Find 7 identities for sums of generalized circular functions PXV(2013)210 Proposed by A. Philipou

- 11. To: Evaluate the sum of reciprocals of Fibonacci numbers of order k PXIII(381-2)
- 12. To: Find values for which the Poisson distribution of order k attains a maximum PXIII(382-3)

Proposed by C. Pomerance

To: \$620 prize problem concerning the Lucas sequence PXIII(306)

Proposed by H. Prodinger & R.F. Tichy

- 4.1 To: Fibonacci number of a lattice graph 20.1(1982)20
- 4.2 To: Fibonacci number of a cube 20.1(1982)20
- 4.3 To: Fibonacci number of a Peterson graph 20.1(1982)20
- 4.4 To: Lower bound for the Fibonacci number of a planar graph 20.1(1982)20

4.5 To: Existence of a sequence of graphs with specified Fibonacci numbers 20.1(1982)20 Proposed by S. Rabinowitz

- 1. To: Summing reciprocals of products of Lucas numbers 37.2(1999)126
- 2. To: Find the sum of reciprocals of $(f_n)^2$ 37.2(1999)126
- 3. To: Finding algebraic relations for reciprocal sums of Fibonacci and Lucas products 37.2(1999)127

Proposed by Br.L. Raphael

- 4. To: Constructing parallelograms 10.4(1972)423
- 10. To: Polygons and a recurrence relation with Fibonacci coefficients 10.4(1972)424
- 12. To: Fibonacci-golden number inequality 10.4(1972)424
- 16. To: Asymptotes of Patton polygons 10.4(1972)425
- 18. To: Asymptotes and T-shaped polygons 10.4(1972)426
- 20. To: Asymptotes and "hyperbola" shaped polygons 10.4(1972)427
- 21. To: Asymptotes and Patton polygons with odd-numbered subscripts 10.4(1972)427
- 24. To: Polygons, unit squares and asymptotes 10.4(1972)427

Proposed by D.A. Rawsthorne

- 1. To: Formula for the number of good sequences derived from a given sequence 25.2(1987)162
- 2. To: Limit problem related to the number of good sequences derived from a given sequence 25.2(1987)162

Proposed by T.M. Richardson

To: x-Fibonomial coefficients and inverse Hankel matrices 39.3 (2001)275

Proposed by D.G. Rogers

1. To: Triangular arrays, partitions and sequences, MRFS(1980)172

Proposed by A. Rotkiewicz

- 1. To: Twin Fibonacci pseudoprimes, PI(1986)253
- 2. To: Arithmetic progressions of Fibonacci pseudoprimes, PI(1986)253
- 3. To: Triangular Fibonacci pseudoprimes, PI(1986)253
- 4. To: Pentagonal Fibonacci pseudoprimes, PI(1986)254
- 5. To: Fibonacci congruences with odd modulus, PI(1986)254
- 6. To: Geometric progressions with three Fibonacci pseudoprimes, PI(1986)254

9. To: Does a certain Lucas pseudoprime depending on prime numbers exist? PXII(329) Proposed by Frank Ruskey

- 1. Are there quasi-periodic solutions to the Hofstadter recurrence other than 3? 48.3(2011)229
- 2. Are there quasi-periodic solutions to the Hofstadter recurrence other than 3 that yield Fibonacci numbers? 48.3(2011)229
- 3. Are there quasi-periodic solutions to other meta-Fibonacci recurrences? 48.3(2011)229
- 4. Does every rational sequence occur as the quasi-periodic solution to some meta-Fibonacci recurrence? 48.3(2011)229

Proposed by G.R. Sanchis & L.A. Sanchis

To: Frequency of occurrence in golden number expansions of integers 39.2 (2001)137

Proposed by A.G. Schaake & J.C. Turner

- 1. To: Point-point relationships and sets of integers, PV(1993)583
- 2. To: Enteger polygons, PV(1993)583
- 3. To: Enteger trigonometry, PV(1993)583
- Proposed by E. Schmeichel & K. Zikan

To: Digraphs and a recurrence relation 23.1(1985)6

Proposed by A.J. Schwenk

To: Strategies, sequences and generalizations of functions related to two person take-away games 8.3(1970)234

Proposed by J.A.Sellers, A.T. Benjamin & J. Crouch (See under Benjamin)

- Proposed by J. Shallit
 - To: Is it possible to characterize the modified Engle expansion of every rational number? 31.1(1993)39
- Proposed by J. Shallit & S. Haque (See under Haque)
- Proposed by A.G. Shannon

To: Comutators, Horadam's sequence and Lie algebras 17.4(1979)349

To: Generalizing the Pellian equation 16.2(1978)102

Proposed by A.G. Shannon & R.L. Ollerton

To: Two element lattice permutations and paths through the lattice 40.5 (2002)422

To: Three problems relation to Ledin's summation problem 59.1(2021)55

Proposed by A.G. Shannon & C.K. Wong

- To: Can all Pythagorean triples be expressed in terms of polynomials associated with 3rd order Pell numbers PXIII(345)
- Proposed by L.W. Shapiro

[Note: A(T)is an automrphism relating plane trees with n edges and binary plane trees with n+1 end points.]

- 1. To: Trees T, and composite automorphisms, $A^{k}(T)=T$? 17.3(1979)257
- 2. To: Compositions of integers and the trees representing them 17.3(1979)257
- 3. To: Heights of trees, permutations and Fibonacci numbers 17.3(1979)258
- 4. To: Heights of trees, compositions, permutations, Lucas, Tribonacci & Pell numbers 17.3(1979)258

Proposed by L.R. Shenton

- 1. To: Formulating modified Fibonacci sequences of specified field lengths 6.2(1968)115
- 2. To: Finding periods for fields of length up to 10 for modified Fibonacci sequences 6.2(1968)116
- 3. To: Asymptotic value for the cycle length for modified Fibonacci sequences 6.2(1968)116
- 4. To: Density of occurrence of modified Fibonacci sequence members with a specified leading digit, 6.2(1968)116

Proposed by T. Shonhiwa

To: Finding inverse function pairs using binomial identities 37.3(1999)239

Proposed by K. Singh

1. To: Perfect Fibonacci numbers, MRFS(1980)168

Proposed by W.D. Skees

[Note: D(n) = the number of digits in n, and $q = q(n) = n/(n10^{D(n)}-1)$.]

- 1. To: (Theorem 6) The period of q(n) 3.4(1965)289
- 2. To: (Theorem 7) Each digit of the period of q appears in succession as the terminal digit of a remainder when decimal division is carried out 3.4(1965)289
- 3. To: (Theorem 8) Cyclic permutations and the digits of the period of q 3.4(1965)289
- 4. To: (Theorem 9) Gauntlets and inequalities 3.4(1965)289
- 5. To: (Theorem 10) D(g) divides the period of q(g) 3.4(1965)289
- 6. To: Do there exist integers other than 1 and 34 for which D(g) = g? 3.4(1965)290 Proposed by Neil O. Smith

To: Find an alternate generalization for a Fibonacci summation identity 46/47.1(78) Proposed by S.K. Stein

To: Generalization of a theorem on the density of integers having polynomial representation 11.5(1973)500

Proposed by I. Strazdins

To: Constructing Partial Pell, Lucas and Fibonacci sequences 37.3(1999)240 Proposed by M.N.S. Swamy

To: Finding the differential equation for rising diagonal generalized F/L polynomials 37.3(1999)222

To: Finding the differential equation for falling diagonal generalized Lucas polynomials 37.3(1999)222

Proposed by D.C. Terr

To: Researching generalizations of F-adic numbers 34.2(163)

To: Calculation of certain sums of digits of Fibonacci numbers 34.4(355)

Proposed by D. Thoro

- 1.1 To: Discovering Fibonacci number patterns 1.1(1963)51
- 1.2 To: Generalization of Fibonacci patterns 1.1(1963)51
- 1.3 To: Greatest common divisor 1.1(1963)51
- 1.4 To: Divisibility test for nine 1.1(1963)52
- 1.5 To: Test for primality of F_{19} 1.1(1963)51
- 1.6 To: Conditions for which numbers will or will not be located in a special rectangular array. 1.1(1963)52

[The answers to all these problems are in 1.1(1963)64]

- 1.1 To: Prime factor of n greater than the cube root of n 1.2(1963)59; Hint 1.2(1963)80
- 1.2 To: Two consecutive Fibonacci numbers are relatively prime 1.2(1963)59; Hint 1.2(1963)80
- 1.3 To: Twin primes 1.2(1963)59; Hint 1.2(1963)80
- 1.4 To: Divisors of Mersenne composites 1.2(1963)59; Hint 1.2(1963)80
- 1.5 To: There exist infinitely many primes 1.2(1963)60; Hint 1.2(1963)80
- E1. To: Golden section 1.3(1963)58
- E2. To: nth power reciprocal of golden section 1.3(1963)58
- E3. To: Negative subscripted Fibonacci numbers 1.3(1963)58
- E4. To: Geometric series 1.3(1963)58
- E5. To: Golden ratio approximations 1.3(1963)58
- E6. To: Error in golden ratio approximations 1.3(1963)58
- E7. To: Golden ratio approximations 1.3(1963)58
- E8. To: Two by two Q-like matrix 1.3(1963)58
- E9. To: Q-matrix variations 1.3(1963)59
- E10. To: Matrix recursion relation 1.3(1963)59

Proposed by D. Thoro

- E.1 To: Euclidean algorithm 2.1(1964)55
- E.2 To: Euclidean algorithm 2.1(1964)56
- E.3 To: FORTRAN program for the length of the Euclidean algorithm 2.1(1964)56
- E.4 To: Length of the Euclidean algorithm 2.1(1964)56
- E.5 To: Probability and the length of the Euclidean algorithm 2.1(1964)56
- E.6 To: Length of the Euclidean algorithm 2.1(1964)56
- E.7 To: Bounds on the length of some Euclidean algorithms 2.1(1964)56
- E.8 To: GCD of consecutive Fibonacci numbers 2.1(1964)56
- E.9 To: Fibonacci numbers and lengths of the Euclidean algorithm 2.1(1964)56
- E.10 To: Fibonacci numbers and lengths of the Euclidean algorithm 2.1(1964)56
- 1. To: Continued fraction convergents for nonsquare integers 19.3(1981)275
- 2. To: Continued fraction convergents for nonsquare integers 19.3(1981)275
- 1. To: General term of a specific sequence, PII(1988)207
- 2. To: Congruence sequence, PII(1988)207
- 3. To: Base five sequence, PII(1988)207
- 4. To: Minimum number of multiplications needed to compute xⁿ, PII(1988)207
- 5. To: Largest power of 2 dividing (2n)! PII(1988)207
- 6. To: Multiples of three and terminal digits, PII(1988)207
- 7. To: Three numbers representing sides of a triangle, PII(1988)208
- 8. To: Coefficients of factors of $x^n 1$, PII(1988)208
- 9. To: Sequences from bichromatic graphs, PII(1988)208
- 10. To: Integral sequences from a square root, PII(1988)208
- 11. To: Integral sequences from a square root, PII(1988)208
- 12. To: General term of a specific sequence, PII(1988)208
- 13. To: Special partitions of n, PII(1988)208
- 14. To: Tiling a checkerboard, PII(1988)208
- 15. To: Odd Catalan numbers, PII(1988)209
- 16. To: Initial digits of powers of 2, PII(1988)209
- 17. To: Prime divisors of a quadratic polynomial, PII(1988)209
- To: Nonprime divisors of the quadratic polynomial given in 17 (not 19 as printed) PII(1988)209
- 19. To: Integer which is relatively prime to n consecutive positive integers, PII(1988)209
 [Note that a remark about each of these problems appears on pages 209 and 210 in PII(1988).]

Proposed by A. Tripathi

- 1. To: If $\sigma(n) = 2(n+k)$ for $k \ge 0$, the n must be even. 48.2(148)
- 2. To: Form for n if $\sigma(n) = 2(n+k)$ for $k \ge 0.48.2(148)$
- Proposed by S.J. Turner
- 1. To: Sequences of limits of Cauchy sequences of ratios of consecutive terms of second order Fibonacci-T numbers, 17.1(1979)28
- 2. To: Formula for the general term of the n^{th} order Fibonacci-T sequence where $n \ge 3$ 17.1(1979)28
- 3. To: Generalized nth order Fibonacci-T sequences 17.1(1979)28
- Proposed by H.L. Umansky

To: Algorithm for the sum of the digits of the square of an integer in base q 11.3(1973)332 Proposed by S.G. Wagner

To: Determining the existence of the limit of a sequence related to the Fibonacci number of Peterson graphs 44.4(2006)367

Proposed by W. Webb

4. To: Find a non-trivial identity involving recurrences or binomial coefficients where summation is over a set other than an arithmetic progression PXIII(377-8)

Proposed by C. Wenchang

To: Derivation of some binomial convolution identities 40.1 (2002)31

Proposed by M. Wiemann & C. Cooper

- 1. To: Finding an explicit formula for the polynomial solutions of a certain non-homogeneous difference equation, PIX (287)
- 2. To: Divisibility property of a generalized Melham sum, PIX (287)
- 3. To: Analyze a certain Melham sum, PIX (287)
- Proposed by C.F. Winans
 - To: Using the Fibonacci sequence to derive decimal equivalents of rational fractions MRFS(1980)81

Proposed by Y.(P.) Yang & J. Leida

- 1. To: Analyzing row generating functions for convolution matrices 42.3(2004)215
- 2. To: Finding column generating functions for a recursion relation matrix 42.3(2004)215

Proposed by P.T. Young

- To: Verify two identities involving weighte Stirlin numbers of the 1st kind by combinatorial means 52.5/PXVI(2014)208
- 2.. To: Verify an identity for poly-Bernoulli polynomials by counting techniques 52.5(2014)/PXV!(210)